

Energy Efficiency Information

Attribute	Symbol	Value	Units
Model Identification		MHG600X / MHG600BK MHG700X / MHG700BK MHG900X	
Annual Energy Consumption	AEC_{Hood}	16.2	kWh
Time Increase factor	f	1.7	
Fluid Dynamic Efficiency	FDE_{Hood}	9.2	
Energy Efficiency Index	EEl_{Hood}	54.9	
Measured Airflow at Best Efficiency Point	Q_{BEP}	158.4	m ³ /h
Measured Pressure at Best Efficiency Point	P_{BEP}	51	Pa
Maximum Airflow	Q_{MAX}	277.9	m ³ /h
Measured Electric Power at Best Efficiency Point	W_{BEP}	24.3	W
Nominal Lighting Power	WL	1.5	W
Average Illumination of the lighting system on the cooking surface	E_{Middle}	98	Lux
Measured Power Consumption in standby	P_S	--	W
Measured Power Consumption off mode	P_O	0.0	W
Noise level	L_{WA}	65	dBA
Grease Filter Efficiency	GFE_{Hood}	61.2(E)	%
Lamp Efficiency	LE_{Hood}	65(A)	%

E & O E. All instructions, dimensions and illustrations are provided for guidance only. MONTPELLIER reserve the right to change specifications without prior notice.